EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	seal with (premade or pre adj made) with insert adj injection	US-PGPUB; USPAT	OR	ON	2010/02/18 11:42
S2	59	insert adj injection with alternativ$	US-PGPUB; USPAT	OR	ON	2010/02/18 11:43
S3	29	("3022814" | "3440117" | "3499808" | "3773205" | "4106962" | "4259419").PN. OR ("4356926").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/18 11:54
S4	1	"3817390".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/18 11:54
S5	16	("0243446" | "1573067" | "3163229" | "3440802").PN. OR ("3817390").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/18 11:54
S6	48	blow adj mold$3 with after with handle	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/18 11:59
S7	23	S6 and pet	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/18 11:59
S8	343	second$4 adj (expansion or blow$3) with (bottle or container)	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/18 12:03
S9	310	second$4 adj (expansion or blow$3) with (bottle or container)	US-PGPUB; USPAT	OR	ON	2010/02/18 12:03
S10	8	S9 and seal$3 with handle	US-PGPUB; USPAT	OR	ON	2010/02/18 12:03
S11	15	("2951264" | "3159697" | "3649728" | "3662048" | "3776991" | "3781395").PN. OR ("4038006").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/18 12:05
S12	126	(bed or mattress) same three with (adjacent or parallel) with layer	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/18 12:21

S13	15	(bed or mattress) same layer with left with right with (middle or center)	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/18 12:22
S14	1	(oring or o adj ring) with successively adj lower$3	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/18 14:26
S15	620	edge with lower$3 with prevent$3 with damage	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/18 14:26
S16	35	edge with lower$3 with prevent$3 with damage with slid$3	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/18 14:27
S17	14	succesively adj lower $3	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/18 14:29
S18	64	adjacent with lower$3 with prevent$3 with catch$3 with edge	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/18 14:31
S19	304	seal with slid$3 with stepped	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/18 14:33
S20	0	seal with slid$3 with stepped with catch$3	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/18 14:34
S21	0	seal with slid$3 with stepped with damag$3	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/18 14:35
S22	24	slid$3 with stepped with damag$3	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/18 14:36
S23	195	slid$3 with edge with lower$3 with damag$3	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/18 14:45
S24	0	stepped with damag$3 with applicator	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/18 14:46
S25	1	lower$3 with edge with damag$3 with applicator	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/18 14:49
S26	59	seam with protru$ with (handle or grip$4)	US-PGPUB; USPAT	OR	ON	2010/09/27 17:38
S27	106	seam with protru$ with (handle or grip$4 or hand)	US-PGPUB; USPAT	OR	ON	2010/09/27 17:38
S28	27	uncomfortable adj seam	US-PGPUB; USPAT	OR	ON	2010/09/27 17:47
S29	0	uncomfortable adj flange	US-PGPUB; USPAT	OR	ON	2010/09/27 18:09
S30	1935	flange with protru$ with (handle or grip$4 or hand)	US-PGPUB; USPAT	OR	ON	2010/09/27 18:09

S31	549	flange with protru$ with (handle or grip$4 or hand) same (recess $ or embed$ or groov$ or indent$)	US-PGPUB; USPAT	OR	ON	2010/09/27 18:10
S32	49	flange with bond$3 with halves same (recess$ or embed$ or groov$ or indent$)	US-PGPUB; USPAT	OR	ON	2010/09/27 18:14
S33	0	ermbed$ adj seam	US-PGPUB; USPAT	OR	ON	2010/09/27 18:27
S34	45	embed$ adj seam	US-PGPUB; USPAT	OR	ON	2010/09/27 18:27
S35	1	"3817390".pn.	US-PGPUB; USPAT	OR	ON	2010/09/27 18:30
S36	1	"4320789".pn.	US-PGPUB; USPAT	OR	ON	2010/09/27 18:31
S37	212	bond$3 adj line with (recess$3 or embed$ or indent$)	US-PGPUB; USPAT	OR	ON	2010/09/27 18:40
S38	12	(weld$3 or bond$3) adj line with (uncomfort $ or discomfort$)	US-PGPUB; USPAT	OR	ON	2010/09/27 18:43
S39	102	seam with (handleor grip) with (undo$3 or break$3 or open$3)	US-PGPUB; USPAT	OR	ON	2010/09/27 18:45
S40	7	recessed adj joint same (handle or grip)	US-PGPUB; USPAT	OR	ON	2010/10/05 09:56
S41	41	protect$3 with seam with (handle or grip)	US-PGPUB; USPAT	OR	ON	2010/10/05 10:21
S42	221	(bottle or container) same protect$3 with seam	US-PGPUB; USPAT	OR	ON	2010/10/05 10:46
S43	175	seam near2 sharp	US-PGPUB; USPAT	OR	ON	2010/10/05 10:52
S44	34	("0355876" | "0868730" | "2983983" | "3570586" | "3605868" | "4017247" | "4354815" | "4548573").PN. OR ("5756131").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/10/05 11:03
S45	645	seam near2 edge same (recess$3 or embedd $3 or groove)	US-PGPUB; USPAT	OR	ON	2010/10/05 11:06

S46	44	seam near2 edge same (recess$3 or embedd $3 or groove) same (discomfort$ or uncomfort$ or pain$ or hand or comfort$)	US-PGPUB; USPAT	OR	ON	2010/10/05 11:06
S47	27	("2936920" | "3176879" | "3366290" | "3390816" | "4609106" | "4969922").PN. OR ("5191988").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/10/05 11:11
S48	34	("20030039780" | "3120679" | "3285454" | "3369690" | "3417892" | "3481501" | "3499071" | "3534435" | "3564087" | "3679785" | "3793422" | "3892828" | "3942932" | "4266927" | "4497855" | "4518558" | "4579260" | "4846359" | "5005716" | "5191988" | "5232107" | "5275780" | "5392950" | "5477974" | "D397291").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/10/05 11:14
S50	15	flash with (recess$3 or embedd$3) same (chaf $ or abra$ or irritat$3 or comfort$ or uncomfort$ or discomfort$)	US-PGPUB; USPAT	OR	ON	2010/10/05 11:27
S51	27	("2936920" | "3176879" | "3366290" | "3390816" | "4609106" | "4969922").PN. OR ("5191988").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/10/05 11:33
S52	64	blow adj mold$3 and flash with recess$3	US-PGPUB; USPAT; USOCR	OR	ON	2010/10/05 11:34
S53	55	blow adj mold$3 and flash with recess$3	US-PGPUB; USPAT	OR	ON	2010/10/05 11:34
S54	11	blow adj mold$3 and flash near4 groove	US-PGPUB; USPAT	OR	ON	2010/10/05 11:45

S55	36	("20030039780" | "3120679" | "3285454" | "3369690" | "3417892" | "3481501" | "3499071" | "3534435" | "3564087" | "3679785" | "3793422" | "3795162" | "3892828" | "3942932" | "4266927" | "4497855" | "4518558" | "4579260" | "4846359" | "5005716" | "5191988" | "5232107" | "5275780" | "5392950" | "5477974" | "6773716" | "D397291").PN. OR ("7431170").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/10/05 11:46
S56	36	("20030039780" | "3120679" | "3285454" | "3369690" | "3417892" | "3481501" | "3499071" | "3534435" | "3564087" | "3679785" | "3793422" | "3795162" | "3892828" | "3942932" | "4266927" | "4497855" | "4518558" | "4579260" | "4846359" | "5005716" | "5191988" | "5232107" | "5275780" | "5392950" | "5477974" | "6773716" | "D397291").PN. OR ("7297308").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/10/05 11:51
S57	10	("2936920").URPN.	USPAT	OR	ON	2010/10/05 11:57
S58	1	"4499262".pn.	USPAT	OR	ON	2010/10/05 11:58
S59	1	"3740181".pn.	USPAT	OR	ON	2010/10/05 13:19
S60	78	(trim$4 or grind$3) with (flash or seam) same handle	USPAT	OR	ON	2010/10/05 13:23
S61	130	(grind$3 or smooth$3) with (flash or seam) same handle	US-PGPUB; USPAT	OR	ON	2010/10/05 13:33

S62	881	(handle) same (uncomfort$ or discomfort$) and (bottle or container)	US-PGPUB; USPAT	OR	ON	2010/10/05 13:35
S63	46	(handle) same (uncomfort$ or discomfort$) same (seam or joint or weld $3) and (bottle or container)	US-PGPUB; USPAT	OR	ON	2010/10/05 13:35
S64	56	(handle) same (uncomfort$ or discomfort$) same (seam or joint or weld $3 or flash or flange) and (bottle or container)	US-PGPUB; USPAT	OR	ON	2010/10/05 13:35
S65	73	(handle) same (uncomfort$ or discomfort$) same (seam or joint or weld $3 or flash or flange or protru$) and (bottle or container)	US-PGPUB; USPAT	OR	ON	2010/10/05 13:35
S66	14	("2991500" | "3366290" | "3444285" | "3892828" | "4079850" | "4116608" | "4195053").PN. OR ("5188849").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/10/05 13:39
S67	23	("3050773" | "3514812" | "3535411" | "3579622" | "3792140" | "3792144" | "3843005" | "3886645" | "4029234" | "4070430" | "4176413" | "4650627" | "4761130" | "5188849" | "5275780" | "5346666").PN. OR ("6090339").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/10/05 13:40
S68	21	("3366290").URPN.	USPAT	OR	ON	2010/10/05 13:46

S69	38	("3342916" | "3362043" | "3366290" | "3369690" | "3400846" | "3444285" | "3746200" | "3892828" | "3944642" | "3983199" | "4799129" | "4969571" | "4988279" | "5232107" | "5275780").PN. OR ("5392950").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/10/05 13:47
S70	14	("3342916").URPN.	USPAT	OR	ON	2010/10/05 13:56
S71	22	(sand$3 or grind$3 or trim$5) with sever$3 with handle and (bottle or container)	USPAT	OR	ON	2010/10/05 14:00
S72	32	(sand$3 or grind$3 or trim$5) with sever$3 with handle and (bottle or container)	US-PGPUB; USPAT	OR	ON	2010/10/05 14:00
S73	194	(sand$3 or grind$3 or trim$5) with handle and (bottle or container)	JPO; DERWENT	OR	ON	2010/10/05 14:00
S74	14	(recessed or embedded) near (flange or protrusion) with (hand or handle or grip)	JPO; DERWENT	OR	ON	2010/10/05 16:25
S75	59	(recessed or embedded) near (flange or protrusion) with (hand or handle or grip)	US-PGPUB; USPAT	OR	ON	2010/10/05 16:30
S76	1	(recessed or embedded) near (flange or protrusion) with (discomfort$ or uncomfort$ or comfort$)	US-PGPUB; USPAT	OR	ON	2010/10/05 16:33
S77	9	(recessed or embedded) near (flange or protrusion) with (chaf$3 or abra$)	US-PGPUB; USPAT	OR	ON	2010/10/05 16:33
S78	26	(recessed or embedded) near3 chaf$3	US-PGPUB; USPAT	OR	ON	2010/10/05 16:42

S79	8	(recessed or embedded) near3 irritat$	US-PGPUB; USPAT	OR	ON	2010/10/05 16:43
S80	17	(recessed or embedded) near3 discomfort$	US-PGPUB; USPAT	OR	ON	2010/10/05 16:45
S81	8	(recessed or embedded) near3 uncomfort$	US-PGPUB; USPAT	OR	ON	2010/10/05 16:51
S82	121	(recessed or embedded) near3 comfort$	US-PGPUB; USPAT	OR	ON	2010/10/05 17:13
S83	1	"6448359".pn.	US-PGPUB; USPAT	OR	ON	2010/10/06 09:33
S84	94	flange with (discomfort$ or uncomfort$ or comfort$) with hand	US-PGPUB; USPAT	OR	ON	2010/10/06 11:18
S85	15041	(discomfort$ or uncomfort$ or comfort$) with handle	US-PGPUB; USPAT	OR	ON	2010/10/06 11:22
S86	792	(discomfort$ or uncomfort$ or comfort$) with handle same (bottle or container)	US-PGPUB; USPAT	OR	ON	2010/10/06 11:22
S87	11	(discomfort$ or uncomfort$ or comfort$) with handle with (protru$ or project$) same (bottle or container)	US-PGPUB; USPAT	OR	ON	2010/10/06 11:22

10/6/2010 12:53:07 PM
C:\ Documents and Settings\ mrogers\ My Documents\ EAST\ Workspaces\ 10583536 3.wsp